2019


PORT OF SAN FRANCISCO PLUMBING CODE

Based on the 2019 California Plumbing Code



The complete 2019 Port of San Francisco Plumbing Code adopts and amends the 2019 edition of the California Plumbing Code.

Effective Date: January 1, 2020



PUBLISHERS NOTE

To simplify the use of the Port of San Francisco amendments with corresponding sections of the 2019 California Codes, explanatory remarks appearing in *italics* are provided at the beginning of each amendment indicating whether the Port of San Francisco Amendments to the 2019 California Codes are adding, revising, or replacing a section or portion of a section.

Should you find publication (e.g. typographical) errors or inconsistencies in this code or wish to offer comments toward improving its format, please address your comments to:

Port of San Francisco Engineering Division -Building Permit Group Pier 1, The Embarcadero San Francisco, CA 94111

Phone: (414) 274-0564

TABLE OF CONTENTS

Chapter 1 ADMINISTRATION DIVISION 1	1
CALIFORNIA ADMINISTRATION	1
DIVISION II ADMINISTRATION	3
101.0 Title, Scope and General	
101.1 Title.	
101.3 Purpose	
102.5 Health and Safety	
103.0 Duties and Powers of Authority Having Jurisdiction	
103.1 Authority Having Jurisdiction	3
103.1.1 Administrative Authority.	3
104.0 Permits	
104.1 Permits required.	
104.1.1 Additional Work	3
104.4.3. Expiration	3
104.5 Fees	4
104.5 General	
106.5 Authority to Disconnect Utilities in Emergencies.	
CHAPTER 2 DEFINITIONS	5
216.0 – N –	5
CHAPTER 3 GENERAL REGULATIONS	
313.0 Hangers and Supports	
CHAPTER 4 PLUMBING FIXTURES AND FIXTURE FITTINGS	
CHAPTER 5 WATER HEATERS	11
CHAPTER 6 WATER SUPPLY AND DISTRUBUTION	13
604.10 Plastic Materials	13
CHAPTER 7 SANITARY DRAINAGE	
701.2 Drainage Piping	
701.2 Drainage Piping	
CHAPTER 8 INDIRECT WASTES	
CHAPTER 9 VENTS	19
CHAPTER 10 TRAPS AND INTERCEPTORS	21
1007.0 Trap Seal Protection	21
1007.2 Trap Primer Protection.	
1016.0 Sand Interceptors.	
1016.3 Construction and Size.	
1016.3.1 Drains for Planter Boxes.	
CHAPTER 11 STORM DRAINAGE	
CHAPTER 12 FUEL GAS PIPING	
1208.5.6.1 Fish Processing Facilities.	Z:
CHAPTER 13 HEALTH CARE FACILITIES AND MEDICAL GAS AND VACUUM SYSTEMS	27
CHAPTER 14 FIRESTOP PROTECTION	
CHAPTER 15 ALTERNATE WATER SOURCES FOR NONPOTABLE APPLICATION	_
CHAPTER 16 NON-POTABLE RAINWATER CATCHMENT SYSTEMS	

CHAPTER 16A NON-POTABLE WATER REUSE SYSTEMS	35
CHAPTER 17 REFERENCED STANDARDS	37
APPENDIX A RECOMMENDED RULES FOR SIZING THE WATER SUPPLY SYSTEM	39
APPENDIX B EXPLANATORY NOTES ON COMBINATION WASTE AND VENT SYSTEMS	41
APPENDIX C ALTERNATE PLUMBING SYSTEMS	43
APPENDIX D SIZING STORM WATER DRAINAGE SYSTEMS	45
APPENDIX H PRIVATE SEWAGE DISPOSAL SYSTEMS	47
APPENDIX I INSTALLATION STANDARDS	49
APPENDIX K POTABLE RAINWATER CATCHMENT SYSTEMS	51
APPENDIX L SUSTAINABLE PRACTICES	53

CHAPTER 1 ADMINISTRATION DIVISION 1 CALIFORNIA ADMINISTRATION

See Division II for Port of San Francisco Plumbing Code administrative provisions.

No Port of San Francisco Plumbing Code Amendments

DIVISION II ADMINISTRATION

101.0 Title, Scope and General

- 101.1 Revise this section to read as follows:
- **101.1 Title.** This document shall be known as the 2019 Port of San Francisco Plumbing Code, may be cited as such and will be referred to herein as "this code."
- 101.3 Revise this section to read as follows:
- 101.3 Purpose. This code shall provide health, safety and welfare.
- 102.5 Add a second paragraph to this section to read as follows:

102.5 Health and Safety.

In order to abate a "nuisance" as defined in Section 216.0 of this code, the inspection and abatement procedures as set forth in Section 102A of the Port of San Francisco Building Code shall apply.

103.0 Duties and Powers of Authority Having Jurisdiction

- 103.1 Revise this section to read as follows:
- **103.1 Authority Having Jurisdiction.** The Port of San Francisco Commission, through the Chief Harbor Engineer, shall be the authority having jurisdiction.
- 103.1.1 Add the following section:
- **103.1.1 Administrative Authority.** The Chief Harbor Engineer of the Port of San Francisco is hereby authorized to enforce all the provisions of this code as set forth in the Port of San Francisco Building Code Section 104.A.2.

104.0 Permits

104.1 Add the following as the second paragraph of this section:

104.1 Permits required.

Emergency work for the protection of life or limb, health, property and public welfare shall have a permit obtained within one day of commencing such work, excluding Saturdays, Sundays and legal holidays.

- 104.1.1 Add the following new section:
- **104.1.1 Additional Work.** After an approved permit has been issued a separate alteration permit shall be required for any changes in work or for any additional work as set forth in Section 106A.4.6 of the Port of San Francisco Building Code.
- 104.4.3 Replace this section to read as follows:
- 104.4.3. Expiration See Section 106A.4.4 of the Port of San Francisco Building Code.

104.5 Fees.

104.5 Replace this section to read as follows:

104.5 General. Permit, inspection and investigation fees, as set forth in the Building Code, Chapter 1A and Tables 1A-A Building Permit Fees, 1A-B Building Application and Plan Review Fees, 1A-C Plumbing Permit and Inspection Fees, 1A-G Inspections Surveys and Reports and 1A-K Investigation Fees, Hearings and Code Enforcement Fees of the Building Code shall be paid prior to permit issuance.

Final inspection will not be made unless all outstanding fees related to the permit work have been paid.

For fee refunds, see Section 107A.6 of the Building Code.

106.5 Revise this section to read as follows:

106.5 Authority to Disconnect Utilities in Emergencies. The Chief Harbor Engineer shall have the authority to disconnect a plumbing system to a building, structure or equipment regulated by this code in case of emergency where necessary to eliminate an immediate hazard to life or property. For notification procedures, see Section 102A of the Port of San Francisco Building Code.

CHAPTER 2 DEFINITIONS

216.0 - N -

Add the following items after Item (3) under definition of "Nuisance":

- (4) Open, unsecured, leaking, plugged or otherwise defective sewer, gas or water lines.
- (5) Inadequate plumbing system maintenance, dilapidation, obsolescence, or damage.
- (6) Plumbing or plumbing fixtures, gas appliances or piping installed in violation of this code or without permit.
- (7) Where a change in occupancy classification is made without complying with the applicable provisions of this code and the Port of San Francisco Building Code.

CHAPTER 3 GENERAL REGULATIONS

313.0 Hangers and Supports.

313.2 Add the following new section

313.2 Materials:

313.2.1 All plumbing systems installed under piers or wharfs shall be supported by stainless steel hangers and hardware and connected by stainless steel 4 band no-hub couplings. *The system shall be engineered, as required, to provide adequate support.*

313.3 Add a sentence to this section to read as follows:

All piping installed under piers, wharfs or docks shall be braced with rigid stainless steel support hardware at every 10 feet (maximum), to prevent horizontal movement from wave action.

CHAPTER 4 PLUMBING FIXTURES AND FIXTURE FITTINGS

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 5 WATER HEATERS

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 6 WATER SUPPLY AND DISTRUBUTION

604.10 Plastic Materials

604.10 Add a sentence to this section to read as follows:

Unless specifically approved by the Chief Harbor Engineer, plastic *water supply* piping shall be prohibited underneath piers, docks and wharfs.

CHAPTER 7 SANITARY DRAINAGE

701.2 Drainage Piping.

701.2 Add a sentence to this section to read as follows:

(7) When specifically approved by the Chief Harbor Engineer, plastic piping <u>shall be allowed</u> <u>for use underneath piers</u>, docks or wharfs.

707.0 Cleanouts.

707.4 Add the first sentence to read as follows:

707.4 All required cleanouts shall be to grade or readily accessible from the pier surface, and so located as to serve the purpose for which they are intended.

CHAPTER 8 INDIRECT WASTES

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 9 VENTS

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 10 TRAPS AND INTERCEPTORS

1007.0 Trap Seal Protection

1007.2 Add the following new section:

1007.2 Trap Primer Protection. Unless alternate materials are approved by the Chief Harbor Engineer, trap primer plumbing lines exposed under piers, wharves, and docks, the lines shall be stainless steel. The lines shall be protected from damage (such as wave action, floating debris, etc.) to the satisfaction of the Authority Having Jurisdiction.

1016.0 Sand Interceptors.

1016.3 Construction and Size.

1016.3.1 Add the following new section:

1016.3.1 Drains for Planter Boxes. When drains are provided for planter boxes, such drains shall enter into the sanitary or storm drainage plumbing system by discharging into an approved sump, receiving tank or sand settling tank. No trap shall be installed between the planter box and any approved receptor. Sizes of drains shall conform to Table 703.2

Catch basins or sumps to drain surface water or collect subsoil drainage shall meet the following requirements:

- (1) The catch basin or sump shall be poured in place, and all sides and bottom shall be watertight.
- (2) A removable metal grill approved for applied design loads shall be placed on top.
- (3) Each catch basin shall be served with its own trap and cleanout, and shall connect to the storm or sanitary system independently.
- (4) If inlet is located below the building sewer or drain, a sump pump minimum of 1½" (38.1 mm) outlet may be used. The bottom of sump shall maintain a 1'- 0" (25.4 mm) distance from the inlet, creating a 1'- 0" (25.4 mm) sand trap.
- (5) If the depth of the sump is over 5'- 0" (1.52 m) a larger catch basin shall be required with a permanent ladder securely bolted to the interior to provide access for maintenance. A minimum clear space of 30" x 30" (762 mm x 762 mm) shall be provided.
- (6) A listed and approved plastic catch basin may be installed in areas of residential buildings that are not subjected to any vehicular traffic and shall be installed on a concrete base to prevent settling, provided all other code requirements of this section and the listing and installation requirements of such catch basin are met.

CHAPTER 11 STORM DRAINAGE

No Port of San Francisco Plumbing Code Amendments.

_

CHAPTER 12 FUEL GAS PIPING

1208.5.6.1 Add the following section:

1208.5.6.1 Fish Processing Facilities. In portions of fish processing facilities, canneries and other indoor wet locations, and in locations where walls are frequently washed or subject to sea air, ferrous gas piping shall be protected as required by Section 1208.5.6

1210.2.3 Add a second sentence to the first paragraph to read as follows:

Unless specifically approved by the Chief Harbor Engineer, gas piping shall be prohibited underneath piers, docks or wharfs.

CHAPTER 13 HEALTH CARE FACILITIES AND MEDICAL GAS AND VACUUM SYSTEMS

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 14 FIRESTOP PROTECTION

No Port of San Francisco Plumbing Code Amendments.

CHAPTER 15 ALTERNATE WATER SOURCES FOR NONPOTABLE APPLICATIONS

CHAPTER 16 NON-POTABLE RAINWATER CATCHMENT SYSTEMS

CHAPTER 16A NON-POTABLE WATER REUSE SYSTEMS

CHAPTER 17 REFERENCED STANDARDS

APPENDIX A RECOMMENDED RULES FOR SIZING THE WATER SUPPLY SYSTEM

APPENDIX B EXPLANATORY NOTES ON COMBINATION WASTE AND VENT SYSTEMS

APPENDIX C ALTERNATE PLUMBING SYSTEMS

APPENDIX D SIZING STORM WATER DRAINAGE SYSTEMS

APPENDIX H PRIVATE SEWAGE DISPOSAL SYSTEMS

APPENDIX I INSTALLATION STANDARDS

APPENDIX K POTABLE RAINWATER CATCHMENT SYSTEMS

APPENDIX L SUSTAINABLE PRACTICES